

## NEWS FROM DELAWARE'S OFFICE OF ENVIRONMENTAL PROTECTION, 03/01/11

The bimonthly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances & Water public meetings, workshops, hearings, and regulatory documents available for public comment, as well as news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality & Waste and Hazardous Substances:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>. There is no form to fill out; it's done in three clicks!

Suggestions? Additions? Please call Tracy Sargent at (302) 739-9400 or send an email to [tracy.sargent@state.de.us](mailto:tracy.sargent@state.de.us). Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances & Water; Web Site: [www.awm.delaware.gov](http://www.awm.delaware.gov)

### **NEWS UPDATES:**

**DELAWARE SOLID WASTE AUTHORITY (DSWA) STARTING HOUSEHOLD HAZAROUS WASTE PILOT PROGRAM** - The Delaware Solid Waste Authority (DSWA) is proud to announce the start of a new Household Hazardous Waste pilot program that would provide collection of Household Hazardous Waste every Friday over a nine-month period. The program, which will run from March 4, 2011 until November 25, 2011 at the Cheswold Collection Station, will offer residents the chance to dispose of Household Hazardous Waste every Friday from 8am-2pm. Household Hazardous Waste can include items such as household cleaners, garden pesticides, oil-based paints only (no latex paint will be accepted), nail polish, fluorescent bulbs, or antifreeze. During the event DSWA will not be able to accept any ammunition, prescription medication or sharps (needles). This event is restricted to Delaware residents only; no commercial services will be accepted. The event will be held rain or shine. To mark the start of the program DSWA will hold special ribbon cutting ceremony on March 25 at 10am, at the Cheswold Collection Station located at 54 Fork Branch Road in Cheswold. For more information on the pilot program or a more extensive list of items accepted, please call the DSWA's Citizens' Response Line at 1-800-404-7080 or visit [www.dswa.com](http://www.dswa.com)

**PROTECTING WATER SOURCES IS GOAL OF DELAWARE RIVER BASIN FORUM MARCH 10 IN NEWARK** - The Delaware River Basin Drinking Water Protection Forum will be held March 10 at sites throughout the region, including Delaware's location – the University of Delaware's (UD) Trabant University Center in Newark. The free forum will electronically connect regional and local officials, planners, water suppliers and other stakeholders at eight satellite locations in New York, Pennsylvania, New Jersey and Delaware. Sign-in will begin at 7:30 a.m., followed by welcoming remarks by DNREC's Division of Water Director Kathy Bunting-Howarth at 8 a.m. The first session begins at 8:15 a.m. and will be webcast live from Philadelphia to all locations, including the University of Delaware. Regional topics will be presented in interactive discussions, followed by the transition to local activities at satellite locations beginning at 11 a.m. On-line registration is required as seats are limited. A box lunch is provided. To view the agenda and to register at the University of Delaware site, visit <http://www.delawarebasindrinkingwater.org>. The forum will address the issues that impact water resources sustainably for the more than 1,000 communities and 18 million people who rely on surface and ground water in the Delaware River Basin. The goals of the forum are to connect regional water professionals, increase awareness of water resource decisions and issues and foster ongoing collaborations. For additional information, please contact John Barndt at (302) 739-9945 or visit: <http://www.dnrec.delaware.gov/News/Pages/ProtectingwatersourcesisgoalofDelawareRiverBasinForum.aspx>

**DNREC ISSUES NOTICE OF PENALTY FOR WASTEWATER PERMIT VIOLATIONS TO THE TOWN OF MILLSBORO AND CITY OF HARRINGTON EXCEEDING \$500,000** - Department of Natural Resources and Environmental Control (DNREC) Secretary Collin O'Mara has issued Notices of Administrative Penalty Assessment and Secretary's Orders to

the Town of Millsboro and the City of Harrington for multiple violations of their National Pollutant Discharge Elimination System (NPDES) Permits. The order for Millsboro totals a cash penalty of \$376,303 including reimbursement to DNREC for expenses associated with the department's investigation. Harrington's penalty order for wastewater violations totals \$137,724, which also includes reimbursement to DNREC for expenses in its investigation. In both cases, the municipalities will be allowed to apply the penalty towards projects that will benefit water quality in their respective communities. DNREC also continues to work with both municipalities to achieve compliance and improve their wastewater systems. For additional information, please contact Glenn Davis at (302) 739-9946 or visit:

[http://www.dnrec.delaware.gov/News/Pages/DNREC\\_issues\\_penalties\\_to\\_Harrington\\_Millsboro\\_for\\_wastewater\\_violations.aspx](http://www.dnrec.delaware.gov/News/Pages/DNREC_issues_penalties_to_Harrington_Millsboro_for_wastewater_violations.aspx)

**DNREC ISSUES PENALTY NOTICE TO YMG CORPORATION OF REHOBOTH FOR WASTEWATER TREATMENT VIOLATIONS**

– The Department of Natural Resources and Environmental Control (DNREC) Secretary Collin P. O'Mara has issued a Notice of Administrative Penalty Assessment and Secretary's Order to YMG Corporation for violations of regulations governing the land treatment of wastes and State of Delaware operational and repair permits. The penalty order totals \$233,818, which includes reimbursement to DNREC for expenses associated with its investigation. For additional information, please contact Ron Graeber at (302) 739-9948 or visit:

[http://www.dnrec.delaware.gov/News/Pages/DNREC\\_issues\\_penalty\\_notice\\_to\\_YMG\\_Corp\\_for\\_wastewater\\_violations.aspx](http://www.dnrec.delaware.gov/News/Pages/DNREC_issues_penalty_notice_to_YMG_Corp_for_wastewater_violations.aspx)

**TIER II REPORTING TIME:** - It is Emergency Planning and Community Right-to-know Act (EPCRA) Annual Hazardous Chemical Inventory (also known as Tier II) reporting season again. Facilities required to report are advised all Tier II Reports covering the 2010 calendar year are due by March 1, 2011. The Tier II Manager system for on-line reporting can be accessed at <https://apps.dnrec.state.de.us/tier2/submit/> and more information is available from the EPCRA program web site at <http://www.serc.delaware.gov/services/312/sec312.shtml>. If you have any questions, please feel free to contact the EPCRA program at (302) 739-9405 or by e-mail at [DNREC\\_AWM\\_TierII\\_HELP@state.de.us](mailto:DNREC_AWM_TierII_HELP@state.de.us)

**UPCOMING AIR, WASTE & WATER-RELATED HEARINGS, MEETINGS & EVENTS:**

**ON-SITE SYSTEMS ADVISORY BOARD** – The On-Site Systems Advisory Board will hold their monthly meeting on March 2, 2011 at the Richardson and Robbins Building, DWHS Conf Room B228, 89 Kings Highway, Dover – 19901 from 9:15am – 11:30am. For additional information, please contact Katharyn Wright at (302) 739-9948 or visit: <http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/68894642E7290B998525783B0069A4B6?open>

**BOARD OF CERTIFICATION FOR WASTEWATER OPERATORS** – The March meeting of the Board of Certification for Wastewater Operators will be held on March 2, 2011 at the DNREC, Conference Room B136, 89 Kings Highway, Dover – 19901 from 9:00am – 11:00am. For additional information, please contact Katherine R Wirick at (302) 739-9946 or visit: <http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/DC1AB134BF19C2FC8525783F0064EE7B?open>

**BROWNFIELDS ADVISORY COMMITTEE MEETING** – The Brownfields Advisory Committee will hold a meeting to discuss brownfields-related issues and assist in amending HSCA and the Delaware Regulations Governing Hazardous Substance Cleanup. The meeting will be held on March 3, 2011 from 9:00am – 12:30pm at the DNREC Lukens Drive Field Office, 391 Lukens Drive, New Castle – 197201. For additional information, please contact Christina Wirtz at (302) 395-2500 or visit: <http://calendar.delaware.gov/eGov/Calendar.nsf/Meetings/A221714B83686F918525781600778FAD?open>

**MARCH LEPC MEETINGS -**

**March 8 – Kent County LEPC** - will hold their bi-monthly meeting from 10am-11:30am at 911 Safety Blvd., Dover

**March 10 – Sussex County LEPC** - will hold their bi-monthly meeting from 10am-12pm at Sussex EOC in Georgetown.

**March 11 – Wilmington LEPC** – will hold their bi-monthly meeting at 10am at 22 S. Heald Street in Wilmington.

**March 14 – New Castle County LEPC** – will hold their bi-monthly meeting from 2:30pm-4:30pm at the Ashland Reserve Center in Hockessin.

For more information, please visit: <http://www.serc.delaware.gov/event.shtml>

**STATE EMERGENCY RESPONSE COMMISSION (SERC) MEETING** – The State Emergency Response Commission (SERC) will hold its quarterly meeting on March 9, 2011 at the Delaware State Fire School, Dover Room 5B from 9:00am – 11:30am. For more information, please visit: <http://www.serc.delaware.gov/meetings.shtml>

**NOTICE OF PUBLIC HEARING** – The Division of Water will conduct a public hearing on the evening of Wednesday, March 9, 2011 commencing at 6:00 PM, at the DNREC Office Building (Richardson Robbins Building) Auditorium, 89 Kings Highway, Dover to solicit views of interested parties in regards to the Wetlands Permit Application filed by the Prime Hook National Wildlife Refuge to restore up to 4,000 linear feet of sand dunes on lands owned by the Refuge, Frank Draper, Barbara Walls et al, and George Carey using sand deposited in overwash areas west of the dune line along the Delaware Bay, south of Fowler Beach Road, at Prime Hook National Wildlife Refuge, 11978 Turtle Pond Road, Milton. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1010&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx>

#### **SECRETARY'S ORDERS:**

**SECRETARY'S ORDER NO. 2011-W-0005** - Notice of penalty assessment to the City of Harrington for wastewater violations. For additional information, please contact Glenn Davis at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Info/Documents/Secretary%27s%20Order%20No.%202011-W-0005.pdf>

**SECRETARY'S ORDER NO. 2011-W-0006** - Notice of penalty assessment to the Town of Millsboro for wastewater violations. For additional information, please contact Glenn Davis at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Info/Documents/Secretary%27s%20Order%20No.%202011-W-0006.pdf>

**SECRETARY'S ORDER NO. 2011-W-0011** - Notice of penalty assessment to YMG Corporation of Rehoboth Beach for wastewater violations. For additional information, please contact Ron Graeber at (302) 739-9948 or visit:

<http://www.dnrec.delaware.gov/Info/Documents/Secretary%27s%20Order%20No.%202011-W-0011.pdf>

**SECRETARY'S ORDER NO. 2011-W-0012** - Notice of conciliation to Mountaire Farms of Delmarva, Inc. for noncontact cooling water and stormwater run-off. For additional information, please contact Steve Mann at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Info/Documents/Secretary%27s%20Order%20No.%202011-W-0012.pdf>

#### **DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL:**

**BROWNFIELDS DEVELOPMENT PROGRAM** – The Division's Brownfields Development Program encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties which may be contaminated. A party seeking to develop such a property negotiates with the Division's Site Investigation and Restoration Branch (SIRB) for a Brownfields Development Agreement (BDA) or a Brownfields Voluntary Cleanup Program (VCP) Agreement to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks

posed by past releases of hazardous substances at these sites. For site-specific information on the following sites, please see SIRB's superfund site files database at: <http://docs.dnrec.delaware.gov/sirbsitefiles.cfm>.

**FINAL PLAN OF REMEDIAL ACTION FOR THE DMA EXPANSION OU-1 SITE (DE-1484)** - The Site Investigation and Restoration Branch (SIRB) has adopted a plan to clean up the DMA Expansion OU-1 Site at 0 Middleboro Road, Wilmington. The 3.44 acre Site is currently covered with soil, gravel and grass. The surface soil is contaminated with polycyclic aromatic hydrocarbons (PAHs) and metals. The groundwater is contaminated with metals. The public may appeal this final plan until February 18, 2011. For additional information, please contact Morgan Price or Robert Newsome at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=985&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE 680 FOREST STREET SITE (DE-1451)** – The Site Investigation and Restoration Branch (SIRB) invites public comment on a proposal to clean up the 680 Forest Street Site located at 680 Forest Street in Dover. The approximately 1-acre property has offices, beauty salon and a warehouse. A portion of the Site is the Dover Interfaith Mission for Housing men's homeless shelter. Surface soil at a hotspot near the center of the Site is contaminated with arsenic and polycyclic aromatic hydrocarbons (PAHs)- benzo(a)pyrene, dibenzo (a,h) anthracene, benz(a) anthracene, and benzo (b)fluoranthracene. Groundwater is contaminated with trichloroethene (TCE), tetrachloroethene (PCE) methyl tert-butyl ether (MTBE) from an offsite source. The proposed remedy will be to excavate the soil in the center of the site; restrict groundwater use at the site and implement groundwater monitoring. The Site will be remediated to commercial standards. The comment period ends on March 8, 2011. For additional information, please contact Rick Galloway or Robert Newsome at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1009&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER CHESAPEAKE SUPPLY SITE (DE-1334)** – The Site Investigation and Restoration Branch (SIRB) invites public comment on a proposal to clean up the Former Chesapeake Supply Site located at 238 Railroad Avenue in Dover. The 1.75-acre property has a vacant grassy lot and five buildings, which are used as office space and storage for Habitat for Humanity. The site groundwater has been impacted by tetrachloroethene (PCE) and chromium above DNREC groundwater standards. The PCE contamination is from an offsite source. The proposed remedy will be to delineate and excavate any chromium contaminated soil under the two northern most buildings (suspected soil source) after they are demolished for redevelopment. The soil will be remediated to residential use. Groundwater will also be treated for chromium. Groundwater will be monitored for PCE and to confirm whether any further chromium remediation is necessary. DNREC will restrict groundwater use at the site. The comment period ends on March 8, 2011. For additional information, please contact Rick Galloway or Robert Newsome at (302) 395-2600 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1008&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 733 SOUTH MARKET STREET SITE (DE-1502)** – The Site Investigation and Restoration Branch (SIRB) negotiated a Brownfields Development Agreement (BDA) with Dun-Rite Tires Plus Wheels, Inc. regarding the 733 South Market Street Site (Site) located at 733 South Market Street in Wilmington. Known by New Castle County as tax parcel numbers 26-057.00-004 and 10-001.00-001, the .0.95 acre

Site may contain hazardous substances as a result of past use that included storage for Underground Storage Tanks (USTs) that the Tank Management Branch (TMB) removed, as well as the Site's close proximity to several SIRB sites. Past environmental investigations at the Site revealed unacceptable levels of lead and arsenic in Site soils and groundwater. The public comment period begins on February 28, 2010 and will close on March 21, 2011. For additional information, please contact Larry Jones at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1017&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. To submit comments, for additional information or for an appointment to inspect the application, please contact Joanna Austin at the Dover Office at (302) 739-9402.

**FEDERALLY ENFORCEABLE 7 DE ADMIN. CODE 1102 APPLICATIONS -**

Notice is hereby given that ICM of Delaware, Inc. having a facility at Breasure Road, Georgetown and 3700 Bay Road, Dover has requested a federally enforceable 7 DE Admin. Code 1102 construction permit for a mobile shingle grinder. The permit will increase emissions for each site by 0.14 TPY PM<sub>10</sub>, 0.15 TPY PM, 0.16 TPY TOC, 0.42 TPY CO, 1.9 TPY NO<sub>x</sub>, and 0.13 TPY SO<sub>x</sub>. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit (APC-2011/0066) into the facility's existing synthetic minor permits APC-1997/0494-OPERATION (Amendment 8)(SM) for Georgetown and APC-1982/0878-OPERATION (Amendment 13)(SM) for Dover via Administrative Amendments. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding by March 29, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1015&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**TITLE V PERMIT MODIFICATION APPLICATIONS** - Notice is hereby given that the Delaware City Refining Company having a facility at 4550 Wrangle Hill Road, Delaware City, Delaware, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for its 7 DE Admin. Code 1130 operating permit. A public hearing concerning the permitting action will not be held unless the Secretary of DNREC receives a request for such hearing by March 1, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=988&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**7 DE ADMIN. CODE 1102 NATURAL MINOR PERMIT APPLICATIONS –**

Notice is hereby given that the following companies have filed an application:

Diamond State Port Corporation requests a construction permit to install control devices including Burnley Baffles at the inlet of the C-5 hopper and a retractable Sleeve with baghouse at the outlet of the C-5 hopper to control fugitive particulate matter (PM) emissions during transfer of bulk materials and an amendment to their existing Permit: APC-2007/0041-CONSTRUCTION/OPERATION to replace the AMI hopper with the C-5 hopper for handling Category A dry bulk materials at the Port of Wilmington. The operation has the potential to emit (PTE) 29.71 tons/year of PM. Actual emissions will not exceed 25.59 tons/year of



PM. Permit # APC-2011/0067-C. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing by March 1, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1003&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

BlackRock Inc. requests permits for 2200 hp and 2199 hp diesel fired emergency generators at their 100 Bellevue Parkway, Wilmington facility. The tons per year emissions from two generators combined are not expected to exceed the following: NOx=4.12, SO2=0.05, CO=0.5, HC=0.15 and PM=0.07. Permits: APC-2011/0071-C/O and APC-2011/0072-C/O. A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing by 7, 2011. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1011&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Atlantic Contracting & Material Co., Inc. requests a Construction Permit to temporarily install a portable crusher, portable concrete batch plant, portable Cummins 800hp diesel generator, and portable Caterpillar 1250hp diesel generator to perform repair of Taxiway Charlie at Dover Air Force Base at Route 113 and Route 10, Dover. Permit: APC-2011/0078-CONSTRUCTION limits the total estimated emissions from the equipment to 0.34 tons of PM, 1.90 tons of NOx, 0.13 tons of SOx, 0.41 tons of CO, and 0.15 tons of VOC. For additional information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1016&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

**WATER PERMITTING PROGRAM** - The Division of Water monitors, manages and protects Delaware's ground and surface waters, tidal wetlands and underwater lands. The Division is a link to the Delaware Estuary Program, Inland Bays Estuary Program and the Delaware River Basin Commission, and provides centralized computer and geographic information system services. The Division also provides public education and outreach programs.

**WELL PERMITS** – The following have submitted applications:

Thomas Draper Trust needs to construct one irrigation well. The well is proposed to be 100 feet deep and 10 inches in diameter. This well is to be located approximately on the east side of Cods road and north of Prime Hook Road. The well is about 5 miles north of Milton. The desired capacity of this well is 700 gallons per minute.

Donald Ellis needs to construct one irrigation well. The well is proposed to be 90 feet deep and 8 inches in diameter. This site is located approximately 650 north of Cr 503 and east of Cr 504. The well is about 3 miles south east of Delmar. The desired capacity of this well is 500 gpm.

William Nichols needs to construct one irrigation well. The well is proposed to be 90 feet deep and 8 inches in diameter. This site is located approximately 100 north of Cr 503 and east of Cr 504. The well is about 3 miles south east of Delmar. The desired capacity of this well is 500 gpm.

Pauline/Herman Jones needs to construct one irrigation well. The well is proposed to be 100 feet deep and 10 inches in diameter. This site is located approximately 200' east of Salt road and west of Pepper road.

The well is about 4 miles south west of Georgetown. The desired capacity of this well is 700 gpm.

Sussex County Engineering needs to construct a dewatering system using 200 points that will be 20 feet deep and 1.5 inches in diameter. The system is to install a sewer main. The points will follow Oak Orchard and Chief roads. The site is about 8 miles east of Millsboro. The desired capacity of this system is 1000 gpm.

Sussex County Engineering needs to construct four dewatering wells that will be 40 feet deep and 8 inches in diameter. The system is to install a pump station. The wells will be on Chief road. The site is about 8 miles east of Millsboro. The combined desired capacity of these wells is 500 gpm.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by March 1, 2011. For additional information, please contact Patty Murray at (302) 739- 9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1004&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Guy Rickards has proposed to construct one irrigation well, 100 feet deep and 8 inches in diameter. This well is to be located 500 feet west of Holts Landing Road on Whites Neck Road, north of Millville. The desired capacity of this well is 500 gallons per minute.

Sussex Group Partners, LLC proposes to construct 2 dewatering systems using 80 and 30 points, respectively. All points will be 19 feet deep and 1.5 inches in diameter. The system will be used to install a sewer main in Independence Hall development, west of the intersection of Indian Mission and Beaverdam roads, in Fairmount. The desired capacities of these systems are 500 gpm each.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by March 7, 2011. For additional information, please contact Patty Murray at (302) 739- 9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1012&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx>

Robert Minner has proposed to construct one irrigation well, 90 feet deep and 8 inches in diameter. This well is to be located 2,000 feet south of Williamsville Road and west of Deep Grass Lane southeast of Harrington. The desired capacity of this well is 600 gallons per minute.

Jones and Whaley Properties, LLC has proposed to construct one irrigation well, 100 feet deep and 8 inches in diameter. This well is to be located 1,000 feet west of the intersection of Firetower Road and route 20, 2 miles east of Seaford. The desired capacity of this well is 600 gallons per minute.

Mary Lou Cooper, Trustee has proposed to construct two irrigation wells, each 100 feet deep, one 12 inches and the other 8 inches in diameter. These wells are to be located 3,800 feet south of E. Cross Road and 3,800 feet west of Columbia Road northwest of Delmar. The desired capacity of these wells is 1,000 gallons per minute each.

Sandra Cartanza has proposed to construct two irrigation wells, 85 feet deep and 12 inches in diameter, and 700 feet apart. These wells are to

be located 1,000 feet east of Bayside Drive and 3,000 feet north of N Little Creek Road in Little Creek. The desired capacity of these wells is 800 gallons per minute each.

Kenneth Foskey Trustee has proposed to construct one irrigation well, 100 feet deep and 12 inches in diameter. This well is to be located 2,000 feet west of the intersection of Pennsylvania Avenue and Woodland Rd in Seaford. The desired capacity of this well is 800 gallons per minute. A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by March 14, 2011. For additional information, please contact Patty Murray at (302) 739- 9945 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1018&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**SUBAQUEOUS LANDS PERMIT APPLICATIONS – The following have submitted applications:**

Robert Reissman (0802000098) - To remove an existing in-line pond from the main tributary by creating a berm to separate the pond on one side and restore 150 linear feet of stream channel on the other side using grade controls and a step pool structure, and to remove 334 cubic yards of sediment from the pond, in an unnamed tributary to Red Clay Creek at 107 Hickory Spring Road, Wilmington.

Patrick Montague (Tax Parcel # 5-33-12-85) - To maintain a 5 by 50 foot pier, a 1.7 by 5.7 foot extension on the side of the pier, an 8 by 24 foot long dock, a 10 by 13 foot floating personal watercraft platform, a 6 by 7.5 foot dock extension, a 6 by 22.5 foot dock extension, two 12 by 12 foot boat lifts and 4 mooring pilings in Dirickson Creek at 37027 Perch Cove, Selbyville.

Joe Hyde (Tax Parcel #1-34-12.00-2077.00) - To maintain a 5 by 34 foot dock in White's Creek at 4 Whites Creek Lane, The Cottages on White's Creek, Ocean View.

New Castle County, Department of Special Services (Tax Parcel # 10-035.00-002) - To replace an existing 24 inch by 636 linear foot section of sanitary sewer with a 30 inch by 636 linear foot sanitary sewer line involving two trenched crossings of Army Creek, and using a temporary coffer dam for stream diversion, trench backfilling with placement of 40 cubic yards of stone rip-rap at stream crossing #1 and 75 cubic yards of stone rip-rap at stream crossing #2 in the Army Creek, on the east side of the Route 13 and Route 40 intersection, Llangollen area, New Castle.

Sea Colony LLC (Tax Parcel # 1-34-17.12-56.00) - To periodically replenish, over a ten-year period, 2,350 linear feet of beach by hydraulically dredging approximately 150,000 cubic yards of sand from offshore borrow site "E" at Sea Colony, Bethany Beach.

Stephen Kary (Tax Parcel # 2-32-11.00-23.00) - To install 4 pilings for a boat lift in the Broad Creek of the Nanticoke River, 625 Vine Street, Bethel.

Joseph Maida (Tax Parcel #1-34-2-4) - To construct a 3 by 10 foot pier, a 5 by 22 foot dock addition, and to refurbish 71 linear feet of stone rip-rap in the Indian River Bay at Lot 91, Simpson Mobile Home Park, 54 Southshore Marina Drive, Bethany Beach



Delaware City Refining Company (Tax Parcel No. 2200300001) – To renew the leases for all non-grandfathered vessel docking and associated structures, as well as the launching area/boathouse, in the Delaware River at the Delaware City Refinery, Delaware City.

Division of Watershed Stewardship (Tax Parcel # 12-02.300-021) - To hydraulically dredge 23,300 cubic yards of accumulated sediment at three shoaled areas in and adjacent to the Delaware City Mooring Basin, to be transferred via pipeline to confined disposal area “A” located directly across from the mooring basin, in Delaware City.

Dennis Kline (Tax Parcel # 133-19.00-266.00) – To construct a 5 by 7 foot pier and a 5 by 20 foot dock in Mel Joseph Pond at Lot 17 Lakewood Circle, Lakewood Estates in Millsboro.

A public hearing on the above applications will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by March 8, 2011. For additional information, please contact Gayle Calder at (302) 739-9943 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1007&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

**NPDES PERMITS** – The Division of Water, hereby gives notice that the following companies have filed an application:

Tidewater Environmental Services, Inc. has applied for re-issuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE 0021491 and State Number WPCC 3260F/74) to discharge treated wastewater from its sanitary wastewater treatment facilities serving the Town of Milton to the Broadkill River. The Milton Water Reclamation Facility is located at 207 Front Street in Milton. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious objection to the application is received by March 18, 2011. For additional information, please contact Anthony Hummel at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1006&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

Baltimore Aircoil Company, Inc. has applied for re-issuance of its National Pollutant Discharge Elimination System permit (“NPDES” Permit No. DE0051047 and State Number WPCC 3022B/74) to discharge non-contact cooling water and storm water associated with industrial activity to Sandy Branch from their facility located at 1162 Holly Hill Road in Milford. A public hearing on the above will NOT be held unless the Secretary of DNREC receives a request by March 25, 2011. For additional information, please feel free to contact John DeFriece at (302) 739-9946 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=1014&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx>

## **EMPLOYEE NEWS:**

Effective February 25, Jae-Soo Chang resigned his position as an Engineer for the SHWMB to go to the private sector.

Effective February 21, the Division of Water hired Jessica Velazquez as an Administrative Specialist II in Financial Assistance Branch (FAB).

Effective February 28, the Division of Water hired Beau Croll as a Seasonal Environmental Scientist II in the Surface Water, Stormwater Branch

**CONTACT THE DIVISION:**

24-Hour Report and Spill Notification Line - 1-800-662-8802  
Aboveground Storage Tanks - 302-395-2500  
Air Quality - New Castle Office - 302-323-4542  
Asbestos New Castle - 302-323-4542  
Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-744-2735  
Brownfields - 302-395-2600  
Delaware Estuary Program - 302-739-9949  
Division of Air Quality Director's office - 302-739-9402  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Director's Office - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Hazardous Waste - 302-739-9403  
Loans & Grants for Wastewater and Septics (Financial Assistance Branch) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2515  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) State-wide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302- 739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank  
Compliance Program - 302-856-4561  
Site Investigation & Restoration Branch (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945  
Stormwater Permits - 302-739-9946  
Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits – 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944